

Applicant : Aarnoud Willem EVERSDIJK  
Serial No. : 10/522,205  
Filing Date: August 22, 2005  
Page 2

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions, and listings, of claims in the application.

1. (Previously Amended): Fitting for a lamp, provided with a rim or stop as part of the fitting for supporting a lamp cap, and a locking element, for locking a lamp cap onto said rim or stop, the fitting being provided with adjustment means for adjusting the position of the lamp cap with respect to said rim or stop, said adjustment means comprising a first part, a first end of which is movably connected to said rim or stop, so that the first part can be placed between a first position substantially parallel to the rim or stop and a second position at an angle to said rim or stop wherein the adjustment means allows for the adjustment of the position of the lamp cap with respect to said rim or stop.

2. (Currently Amended): Fitting as claimed in claim 1, wherein the adjustment means comprise a first and a second part, which parts are pivotably connected to one another, the second part being supported on the rim or stop and so that the first part can be placed between a first position

Applicant : Aarnoud Willem EVERSDIJK  
Serial No. : 10/522,205  
Filing Date: August 22, 2005  
Page 3

substantially parallel to the second part and a second position at an angle to the second part.

3. (Previously Amended): Fitting as claimed in claim 1, wherein the adjustment means are provided with locking means for locking the first part in its second position.

4. (Previously Amended): Fitting as claimed in claim 3, wherein the first part is provided with a lug or catch for engaging a recess or groove on the outer side of the fitting.

5. (Previously Amended): Fitting as claimed in claim 1, wherein the parts are designed in the shape of an arc, the parts describing a complete circle or a part of a circle.

6. (Previously Amended): Fitting as claimed in claim 5, wherein the parts are designed such that they describe an arc which is larger than a semicircle and smaller than a complete circle.

7. (Previously Amended): An adjustment element for a fitting for a lamp, for adjusting the position of a lamp cap with respect to a fitting, provided with a first part which is

Applicant : Aarnoud Willem EVERSDIJK  
Serial No. : 10/522,205  
Filing Date: August 22, 2005  
Page 4

intended to make contact with a lamp cap or the pedestal of a lamp cap, and a second part for supporting the adjustment element on a rim or stop of a fitting, which parts are resiliently or pivotably connected to one another for the purpose of adjusting the angle between said first part and the said second part wherein adjustment of the angle serves to adjust the position of the lamp cap with respect to said rim or stop.

8. (Previously Amended): Adjustment element as claimed in claim 7, wherein said first and second parts are formed substantially in the form of an arc, for enclosing a cylindrical section of a fitting.

9. (Previously Amended): Adjustment element as claimed in claim 8, wherein said parts are shaped such that the arc shape describes a circle which is larger than a semicircle and smaller than a complete circle.

10. (Previously Amended): Adjustment element as claimed in claim 7, wherein the second part, on the inner side of the arc, is provided with a lug or catch for engaging a groove or recess in the outer side of a fitting.

Applicant : Aarnoud Willem EVERSDIJK  
Serial No. : 10/522,205  
Filing Date: August 22, 2005  
Page 5

11. (Previously Amended): Adjustment element as claimed in claim 7, wherein the adjustment element comprises spring steel.

12. (Previously Amended): Adjustment element as claimed in claim 7, wherein the adjustment element comprises auxiliary arms arranged between the first part and the second part, which support arms absorb spring force during the displacement of the first part toward the second part.

13. (Previously Amended): Adjustment element as claimed in claim 12, wherein the auxiliary arms are punched and flanged out of one of the first and second parts.

14. (Previously Amended): Adjustment element as claimed in claim 7, wherein the adjustment element, in the vicinity of the connection between the first and second parts, is provided with one or more engagement members intended to engage on a lamp cap or a pedestal of a lamp cap.